

FOR SALE BY PRIVATE TREATY

PREMIUM LED DISPLAY & AV SYSTEMS

CONTACTS

T: 0161 710 2010

E: sell@landwoodgroup.com

LANDWOOD
GROUP



Samsung 4x4 146" Video Wall

Available from 14th September 2026

LANDWOOD
GROUP

Description

Samsung Wall Lux IW008R 146" MicroLED Video Wall is currently installed and operational. Approximately 6 years old with 13,079 hours runtime (as of 30 June 2026, increasing slightly as still in weekday use). It can be viewed in operating condition in the South of England.

Includes

- 16 × Samsung LH008IWRMWS/XU 0.8mm MicroLED cabinets
- Samsung SBB-MBOXR48/EN M-Box processor
- 4x4 Frame Kit
- 4x4 Deco Kit
- Service Kit 1 (Wall Pro Jig)
- Service Kit 2 (Wall Lux Jig)
- Power Kit
- IR Remote Control
- 2 x New spare LH008IWRMWS/XU cabinets
- 1 x New spare Samsung VG-WR00PKIT Wall Series Power Kit

Specifications

- 146" diagonal display
- 4x4 MicroLED video wall
- 0.84mm pixel pitch
- 4K UHD resolution (3840 × 2160)
- Display area: 5.85m²
- Dimensions (W × H): 3.225 × 1.814m
- Power consumption: 2,400W typical / 2,720W maximum
- Samsung Black Seal anti-glare technology
- HDR10 / HDR10+ support
- Ultra Chroma colour technology
- Samsung Quantum Processor Flex (M-Box)
- 4 × HDMI inputs (including HDMI ARC)
- EMC Class B & IEC 60950-1 certified

Location

Hampshire, UK



AOTO Innopad 2.9 Flexible LED Display System (Approx. 100m²)

Description

A complete AOTO Innopad 2.9 flexible LED display system offering approximately 100m² of display coverage. Designed for both flat and curved installations, this package is ideal for exhibitions, live events, retail environments and large-scale installations.

Includes

- (400) AOTO Innopad 2.9 Flexible LED Panels
- (32) Left-Hand Corner Cabinets
- (32) Right-Hand Corner Cabinets
- (190) LED Wall Hanging Brackets
- (50) LED Wall Ground Stack Fixing Arms
- (47) Heavy-duty Flight Cases (holding up to 10 panels each)
- Rigging and hanging bars
- (20) Spare Hub / Receiving Cards
- (18) Spare Power Supplies
- (20) Spare LED Modules
- Data link cables
- Power link cables


Specifications

- Approximate display area: 100m²
- Pixel pitch: 2.9mm
- Brightness: 1,000 nits
- Adjustable convex and concave curves up to 22.5°

This can be split down into smaller lot sizes – say 25m² – please contact us for further details.

Location

Hampshire, UK



<https://www.youtube.com/watch?v=Ik1wKAf9Zxl>

Unilumin Utile III 3.9mm Indoor LED Screen System (Approx. 110m²)

LANDWOOD
GROUP

Description

A complete Unilumin Utile III 3.9mm indoor LED screen system supplied with a NovaStar control system, providing approximately 110m² of display coverage. The package includes a comprehensive range of rigging and support accessories, making it suitable for exhibitions, events and permanent installations.

Includes

- (440) Unilumin Utile III Panels
- NovaStar Control System
- 2m Back Supports
- 1.5m Back Supports
- 1-Way Hanging Bars
- 2-Way Hanging Bars
- 2-Way Ground Bars
- 4-Way Ground Bars
- Back Support Connectors
- -10° Curving Plates
- -5° Curving Plates
- -3° Curving Plates
- -2° Curving Plates
- (47) Heavy-duty Mobile Flight Cases
- Additional loose accessories and components

Specifications

- Approximate display area: 110m²
- Pixel pitch: 3.9mm
- Indoor LED display system
- NovaStar control system included



Location

Amsterdam, Netherlands - this lot will be subject to UK VAT should it be imported into the UK

Bauer Digital 2.6HB LED Display Package

Description

Two professionally removed Bauer Digital LED display packages are available, previously installed in a London showroom. The systems have been professionally dismantled and carefully handled throughout removal. The 2.6HB panels are individually wrapped in protective foam pouches and securely stored in five palletised wooden crates for safe transport and storage.

Package 1 Includes

- (268) Bauer Digital 2.6mm High Brightness LED Panels (1000 x 250mm)
- (1) NovaStar MCTRL4K LED Controller
- Custom mounting frames

Specifications

- Pixel pitch: 2.6mm
- High Brightness LED Panels
- Panel size: 1000 x 250mm

Package 2 Includes

- (226) Bauer Digital 1.9mm Standard Brightness LED Panels (750 x 250mm)
- (1) NovaStar MCTRL4K LED Controller
- (5) NovaStar MCTRL600 LED Controllers
- Custom mounting frames

Specifications

- Pixel Pitch: 1.9mm
- Standard Brightness (SB) LED panels
- Panel Size: 750 x 250mm

Location

Cambridge, UK

